

PROPOSED AMENDMENT CHANGES FOR 2<sup>ND</sup> INTERVIEW

The following claims are not shown in “reissue format” but instead show the present claims with material deleted with brackets and material in bold italics.

The changes to claims 36, 40, 41 and 73 conform with your suggestions.

The change to claim 1 is to return it to its original “pre-reissue” form.

09182862-1076404  
The changes to the remaining claims is to use more compact language, “side portion extensions” instead of “side portions, each side portion having an extension.”

1. **(Five Times Amended)**      An eyeglass device comprising:  
a primary spectacle frame for supporting primary lenses therein, said primary spectacle frame including two side portions each having an extension extended therefrom for pivotally coupling a leg means thereto, said primary spectacle frame including two rear and side portions each having a projection secured thereto, said primary spectacle frame including an upper side portion, a pair of first magnetic members secured in said projections respectively,

an auxiliary spectacle frame for supporting auxiliary lenses therein, said auxiliary spectacle frame including two side portions each having an arm extended therefrom for extending over ~~and for engaging with~~ said upper side portion of said primary spectacle frame, and

a pair of second magnetic members secured to said arms respectively for engaging with said first magnetic members of said primary spectacle frame so as to secure said auxiliary spectacle frame to said primary spectacle frame,

said arms being ~~engaged with and~~ supported on said upper side portion of said primary spectacle frame so as to allow said auxiliary spectacle frame to be stably supported on said primary spectacle frame and so as to prevent said auxiliary spectacle frame from moving downward relative to said primary spectacle frame and so as to prevent said auxiliary spectacle frame from being disengaged from said primary spectacle frame.

36. **(Twice Amended)** An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein;

the primary spectacle frame including two side portions, ~~each side portion having an~~ extensions extended therefrom for pivotally coupling a leg thereto; and

the primary spectacle frame including two first magnetic members *respectively having a horizontal surface* and being secured to one of the side portions *extensions* of the primary spectacle frame; and

an auxiliary spectacle frame for supporting auxiliary lenses therein, and for disposing in front of the primary spectacle frame, the auxiliary spectacle frame including two auxiliary side portions, wherein the auxiliary spectacle frame further includes two second magnetic members each secured to one of the auxiliary side portions *and having a horizontal surface* for coupling *a corresponding horizontal surface* ~~[on a horizontal position]~~ of one of the first magnetic members so as to secure the auxiliary spectacle frame to the primary spectacle frame.

40. (Once Amended) An eyeglass device as recited in Claim 36 wherein *the auxiliary side portions are respectively supported on a corresponding extension* and the first magnetic members are not in contact with the second magnetic members.

41. (Once Amended) An eyeglass device as recited in Claim 39 wherein *the auxiliary side portions are respectively supported on a corresponding*

*extension* and the first magnetic members are not in contact with the second magnetic members.

73. (Once Amended) An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein having two side portion[s, ~~said side portions each having an~~] extensions [~~with~~] *having* a top side and a rear side with a first magnetic member secured to said rear side, and

an auxiliary spectacle frame including two arms for extending over and engaging a corresponding top side of said extensions, said arms respectively containing downwardly extended second magnetic members for hooking said auxiliary spectacle *frame* to said primary spectacle frame, said arms and said first and second magnetic members cooperating to support said auxiliary spectacle frame on said primary spectacle frame.

We are also contemplating some changes to the claims you have allowed. The changes are for the purpose of using consistent claim language and are shown below. The new phraseology used in the following claims was deemed clearly found in the allowed claims.

12. (Twice Amended) An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein with the lenses defining a vertical plane, the primary spectacle frame including two side

portion[s, ~~each of the side portions having an~~] extensions extended therefrom for pivotally coupling a leg thereto and a first magnet having a horizontal surface and secured to [~~a rear side of each of the side portions~~] *said side portion extensions* of the primary spectacle frame, and

an auxiliary spectacle frame for supporting auxiliary lenses therein, and for disposing in front of the primary spectacle frame, the auxiliary spectacle frame including two auxiliary side portions, the auxiliary spectacle frame including two second magnets, each secured to one of the auxiliary side portions for respectively engaging the horizontal surface of one of the first magnets so as to secure the auxiliary spectacle frame to the primary spectacle frame.

68. (Once Amended) An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein, said primary spectacle frame including two side portion[s ~~each having an~~] extensions extended therefrom for pivotally coupling a leg, each of said extensions also including an outer side, an inner side, and a top side with a projection secured to said inner side, each of said projections respectively securing a first magnetic member, and

an auxiliary spectacle frame for supporting auxiliary lenses therein, said auxiliary spectacle frame including two side portions each having an arm extended therefrom, said auxiliary spectacle frame further including a pair of second

magnetic members secured to said arms respectively for engaging said first magnetic members of said primary spectacle, each of said arms adapted to extend over one of said top sides.

71. (Once Amended) An eyeglass device comprising:

a primary spectacle frame having two side portions~~[, said side portions each having an]~~ extensions extending rearwardly therefrom having a top side and a rear side with a first magnetic member secured thereto, and

an auxiliary spectacle frame including two arms for extending over a corresponding top side of said extensions, said arms respectively containing second magnetic members for cooperation with said first magnetic members and downwardly extended end portions for hooking said auxiliary spectacle frame to said primary spectacle frame, said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame.

75. (Once Amended) An eyeglass device comprising:

a primary spectacle frame for supporting primary lenses therein and having two side portion~~s, an~~ extensions extending rearwardly *therefrom* ~~[each of said~~

~~side portions]~~ and having a front side, a rear side, a top side, and a rear end, each of said rear ends pivotally coupling a leg configured to conform to a user at a distal end thereof, each of said extensions of said primary spectacle frame further having a projection attached to each of said rear sides, and a pair of first magnetic members respectively secured in said projections, said first magnetic members capable of engaging second magnetic members of an auxiliary spectacle frame.

78. (Once Amended) An eyeglass device comprising:

09182862 070401  
a primary spectacle frame having two side portion~~s each having an~~ extensions extending therefrom and adapted to pivotally couple a leg thereto, said extensions each having a front side, a rear side, a top side and a projection extending from said rear side, each of said projections securing a first magnetic member, and

an auxiliary spectacle frame including two side portions each having an arm extended therefrom for extending over said top side, said arms containing corresponding second magnetic members, said arms with said second magnetic members engaging said first magnetic members thereby securing said auxiliary frame to said primary spectacle frame to prevent said auxiliary spectacle frame from moving downward relative to and/or disengaging from said primary spectacle frame.

86. (NEW) An eyeglass device comprising:

a primary spectacle frame having two side portion[s, ~~said side portions each having an~~] extensions extending rearwardly therefrom with a top side and a rear side with a first magnetic member secured thereto, and

an auxiliary spectacle frame including two arms for extending over a corresponding top side of said extensions, said arms respectively containing second magnetic members for cooperation with said first magnetic members and downwardly extended end portions for hooking said auxiliary spectacle frame to said primary spectacle frame, said arms and said first and second magnetic members supporting said auxiliary spectacle frame on said primary spectacle frame, wherein at least one of said first magnetic members and said second magnetic members are magnets.

89. (Once Amended) An eyeglass device comprising:

a primary spectacle frame having two side portion[s, ~~each of said portions having an~~] extensions with a front side, a rear side and a first magnetic member [~~secured to said rear side~~],

an auxiliary spectacle frame including two side portions each having an arm extended therefrom, each of said arms containing a second magnetic member, said arms extending across a respective extension from said front side to said rear side

so that said first and second magnetic members engage one another whereby said auxiliary spectacle frame is supported by said primary spectacle frame.--

09182862.070403